

Executive Order VR-207-A
Emco Phase II EVR System with Hirt Thermal Oxidizer

Exhibit 1
Equipment List

<u>Component</u>	<u>Manufacturer/ Model</u>
Nozzle	Emco Model A4005EVR (Figure 1A-1) Emco Model RA4005EVR (Rebuilt)
Coaxial Curb Hose with Liquid Removal Device	Goodyear Model Maxxim Premier Plus (Figure 1A-2)
Coaxial Whip Hose	Goodyear Model Maxxim Premier Plus (Figure 1A-2)
Hose Swivel	EMCO Wheaton Retail Model A4110EVR (Figure 1A-2)
Safe Break Valve	EMCO Wheaton Retail Model A4119EVR (Figure 1A-2)
Hanging Hardware	(Figure 1A-3)
Hirt Thermal Oxidizer With Indicator Panel	Hirt Model VCS 100 (Figure 1A-4) Leg Attachments: 5" – M39 48"- M40
Hirt 1/4" Check Valve	Hirt P65

Figure 1A-1
Emco Model A4005EVR Nozzle




Figure 1A-2
Emco Hanging Hardware
(Nozzle, Hose Swivel, Coaxial Curb Hose, Safe Break, and Coaxial Whip Hose)




Figure 1A-2 (continued)
Emco Hanging Hardware
(Nozzle, Hose Swivel, Coaxial Curb Hose, Safe Break, and Coaxial Whip Hose)





Figure 1A-3
Typical Emco and Goodyear Hanging Hardware with Liquid Removal Device






Figure 1A-4
Hirt VCS 100 Thermal Oxidizer and Indicator Panel

VCS 100 Identification Plate



Hirt VCS 100 Processor



Indicator Panel Face




Figure 1A-4 (continued)
Typical Hirt VCS100 Thermal Oxidizer Processor

